#### **FINAL REPORT**

PREPARED BY HEMSON FOR THE TOWNSHIP OF HARLEY

# **ASSET MANAGEMENT PLAN**

September 5<sup>th</sup>, 2025





1000 - 30 St. Patrick Street, Toronto ON M5T 3A3 416 593 5090 | hemson@hemson.com | www.hemson.com

# **C**ONTENTS

Exe	CUTIVE SUMMARY	1
1.	Introduction	2
A.	Purpose of the Asset Management Plan	2
B.	Regulatory Context	Ę
C.	Asset Management Plan Structure	7
2.	STATE OF LOCAL INFRASTRUCTURE	8
A.	Replacement Cost of Infrastucture	8
B.	Remaining Useful Life of the Infrastructure	Ç
C.	Condition of the Infrastructure	10
3.	LEVEL OF SERVICE	15
A.	The Township's Level of Service Goals	15
B.	Community Levels of Service (CLOS)	15
C.	Technical Levels of Service (TLOS)	16
D.	Overview of the Township's Level of Service	16
4.	ASSET MANAGEMENT STRATEGY	24
A.	Overview of Full LifeCycle Cost Model	24
B.	Risk Analysis	29
C.	Managing Risk	31
D.	Future Demand	32
E.	Climate Change Integration	33
5.	FINANCING STRATEGY	36
A.	Analysis of Available Revenues	36
B.	Benchmark Infrastructure Funding Gap	38
C.	Proposed Level of Service Infrastructure Funding Gap	39
D.	The Relationship to the Proposed Level of Service	41

6.	MONITORING AND IMPROVEMENT PLAN	43
А. В.	Asset Management Maturity Assessment Improvement Plan	43 45
APPE	NDIX A	47
APPE	NDIX B	55

# **EXECUTIVE SUMMARY**


The Asset Management Plan (2025 Plan) has been developed to be consistent with the requirements of *Ontario Regulation 588/17 Asset Management Planning for Municipal Infrastructure* (O Reg. 588/17) and meet the 2025 proposed level of service requirements. This 2025 Plan includes current level of service measures for all core and non-core infrastructure assets and defines proposed levels of service over a ten-year period in compliance with the regulation. A summary of the key results of the 2025 Asset Management Plan is noted below along with relevant reporting outputs provided in the summary dashboard. Note that all figures are in constant 2024 dollars.

- The Township's infrastructure has an estimated replacement value of \$95.7 million. The largest share is roads and accounts for about \$72.5 million (76%). The next highest share is bridges at \$15.0 million (16%) and is followed by buildings at \$4.0 million (4%). Vehicles in the Township represent 2% of overall assets, valued at \$1.9 million. The Township's culverts represent \$1.1 million (1%). The remaining replacement value is made up of machinery and equipment at \$820,000 (less than 1%) and \$477,000 (less than 1%) for land improvements.
- Municipal assets are determined to be in Good condition overall. About \$76.2 million (79%) of the assets are in Good to Very Good condition while \$6.6 million (7%) of the assets are Fair condition. The remaining \$13.0 million (14%) are in Poor to Very Poor condition.
- The proposed level of service is generally set to maintain the current level of service over the planning period (2024-2033):
  - While no PCI information is available for paved or unpaved roads, their condition has been assigned a condition based on the useful life of each road surface and the age of the last known works, combined with staff assessments. Paved and unpaved roads were deemed to be in Good condition overall. Given the "Good" condition of the road network and the Township's funding constraints, the proposed level of service is to maintain the current condition of roads, which is consistent with the Township's existing practices.
  - Township bridges are on average in Very Good condition (95 BCI), no structures currently having loading or dimensional restrictions.



- The 2024 Building Condition Assessments place 42% of the replacement value of buildings in Good condition, with almost all remaining buildings being classified as Fair condition. This reflects the reflecting the fact that 16% of the Township's buildings have overrun their useful life.
- Culverts are in Poor condition overall, with very few assets being overdue for replacement. This indicates that many assets are approaching the end of their useful lives. The condition of these assets should be closely monitored as many assets may become due for replacement in a short time-period.
- Vehicles are, on average, in Fair condition despite only 2% of assets having overrun
  their useful lives. Machinery and Equipment is in Very Poor condition overall, with
  67% of the asset value being overdue for replacement. Despite the overall age of
  the assets bringing the reported condition down, they continue to be in useable
  order and are replaced as needed.
- The total 10-year lifecycle costs to meet proposed levels of service amount to \$11.1 million (an average of about \$1.1 million per year) if Peddie Bridge is to be replaced, or \$8.5 million if the bridge is to be decommissioned. Assuming this bridge will be replaced, to meet proposed levels of service an average increase to contributions to capital and/or capital reserves of approximately \$113,000 per year would be required which is equivalent to a 13.6% annual increase to the tax levy in 2025 (\$2024). If staff decide that this bridge will be decommissioned, meeting proposed levels of service would require increased contributions to capital and/or capital reserves of approximately \$54,200 per year would be required which is equivalent to a 6.5% annual increase to the tax levy in 2025 (\$2024). Going forward, this amount would need to be adjusted by inflation on an annual basis to ensure the Township's funding levels are sufficient to meet general market price increases.







# 1. Introduction

The Township of Harley 2025 Asset Management Plan (2025 AMP) provides the Township with a tool to assist in asset management financing decisions. The AMP covers all Township-owned and operated assets and follows the format set out by the Ministry of Infrastructure through the *Building Together: Guide for Municipal Asset Management Plans*, the requirements of *Ontario Regulation 588/17 Asset Management Planning for Municipal Infrastructure* (O. Reg. 588/17) and the Township's Strategic Asset Management Policy.

An Excel based asset management financial model has been developed as part of the 2025 AMP. The model contains the Township's detailed asset inventory and financing strategy used to develop this AMP. The model is provided to municipal staff and is intended to be updated on a regular basis to inform future capital investment decisions.

#### A. PURPOSE OF THE ASSET MANAGEMENT PLAN

The main purpose of the 2025 AMP is to advance the Township's asset management practices by developing a set of asset management strategies to the specific needs of each service area. At the same time, these strategies align with the objectives of the requirements of *Ontario Regulation 588/17* (O. Reg. 588/17). This plan is focused on achieving several key objectives:

- Ensuring Long-Term Sustainability management of the Township's assets is a longterm commitment that must be sustainable to ensure effective service delivery for future generations.
- Lowest Cost of Ownership long-term sustainability is only possible by ensuring costs
  are minimized through efficient management of assets by developing service area and
  asset specific objectives.
- Minimizing Risk risk is minimized through the assessment, management and longterm planning of assets at more focused levels and through consultation with service area staff.
- Enhancing Service Delivery the Township strives for continual improvement in its asset management strategies as outlined in the Strategic Asset Management Policy and therefore tailored approaches to assessing long-term needs unique to each asset category is captured through this AMP.



• Supporting Informed Decision-Making – development of a set of asset management tools that help the decision-making process make evidence-based decisions. The Excel based financial model can be used to continually keep asset information up to date.

By following the key objectives above, the AMP establishes a "clear line of sight" from the service being provided to residents and businesses in the Township. Any investment requirements included in the AMP are clearly linked to a well-defined need. These needs over the 10-year period are set to meet the proposed level of service, which in the case of Harley, is largely related to maintaining levels of service. Furthermore, the needs should be aligned with strategic objectives through capital and operating decisions made in the budget process.

#### B. REGULATORY CONTEXT

In 2015, the Province of Ontario established the *Infrastructure for Jobs and Prosperity Act*. The purpose of this Act is to establish mechanisms to encourage principled, evidence-based and strategic long-term infrastructure planning that supports job creation and training opportunities, economic growth, protection of the environment, and incorporate design excellence into infrastructure planning.

In December 2017, Ontario Regulation 588/17 Asset Management Planning for Municipal Infrastructure (O. Reg 588/17) was passed under the Infrastructure for Jobs and Prosperity Act. The regulation requires municipalities to develop a Strategic Asset Management Policy, which will help municipalities document the relationship between their Asset Management Plan and existing policies and practices as well as provide guidance for future capital investment decisions. The regulation also contains specific requirements on the type of analysis municipal asset management plans should contain, including policies, levels of service, lifecycle management and financing strategies. The aim is to provide guidance to municipalities so that asset management plans are more consistent across the Province. Furthermore, in March 2021 the Province amended the regulation to extend the regulatory timelines by one year. A summary timeline of the requirements of the regulation are outlined in Figure 1.

Figure 1 – Ontario Regulation 588/17 Requirements



A high-level summary of the technical requirements to be addressed for July 1, 2025, include<sup>1</sup>:

- An AMP for all municipal infrastructure assets that builds upon the previous requirements for all asset categories (core and non-core).
- Identification of the proposed levels of service for each of the next 10-years (core and non-core).
- The lifecycle activities required to meet proposed levels of service.
- The risks associated with the lifecycle activities to meet proposed levels of service and their associated costs.

The 2025 AMP meets the requirements of the regulation as it includes the proposed levels of service requirement to meet the 2025 deadline for all assets considered in this AMP. The 2025 AMP builds on the work completed in the Township's 2016 Asset Management Plan which included all asset categories (core and non-core) and reported on the current level of service. Through this update, the Township has updated the current level of service utilizing more recent engineering reports, updated inventories and datasets compiled through consultation with Township staff.

<sup>&</sup>lt;sup>1</sup> There are additional requirements of the regulation not explicitly stated here, however, this AMP meets all requirements needed. Only the most relevant reporting requirements are listed for simplicity. See <a href="https://www.ontario.ca/laws/regulation/r17588#BK7">https://www.ontario.ca/laws/regulation/r17588#BK7</a>.



### C. ASSET MANAGEMENT PLAN STRUCTURE

The 2025 AMP is developed to be consistent with the structure recommended through the 2013 Building Together: Guide for Municipal Asset Management Plans. At the same time, it has been developed to meet the requirements of O Reg. 588/17. Table 1 provides a guide to the sections of the 2025 AMP.

Table 1 - AMP Report Structure

Section Requirement				
Main Body				
Section 2 - State of Local	Summarizes the state of the Township's infrastructure with reference			
Infrastructure	to infrastructure quantity and quality. Additional details are provided in			
	Appendix A.			
Section 3 - Level of Service	A summary of the current and proposed levels of service summarized			
	for each asset category. This section is consistent with the reporting			
	requirements of O. Reg. 588/17.			
Section 4 - Asset	Sets out several strategies and lifecycle costs that will assist the			
Management Strategy	Township in maintaining assets so that proposed levels of service can			
	be met. This section also includes a risk analysis of Township assets.			
Section 5 - Financing	Establishes how asset management can be delivered in a financially			
Strategy sustainable way for all services. Outlines the lifecycle costs				
	funding strategy to meet proposed levels of service. Additional detailed			
	calculations are provided in Appendix B.			
Section 6 – Monitoring and	Provides key recommendations on how to improve the asset			
Improvement Plan	management plan and related practices over the long-term.			
	Appendices			
Appendix A – State of Local	Detailed reports on the state of local infrastructure by asset category			
Infrastructure Report Cards	including the asset portfolio, replacement values, age and condition.			
Appendix B – Detailed	Additional detailed tables related to the lifecycle cost and financing			
Financing Strategy Tables	strategy.			

# STATE OF LOCAL INFRASTRUCTURE

This section provides a summary of the Township's assets with reference to asset quantity and quality. Some assets have condition assessments based on engineering inspections, while some asset conditions are based on the useful life of the asset relative to its age, or a high-level condition assessment developed in consultation with Township staff. Detailed technical information on the asset inventory, remaining useful life and conditions for each asset category is provided in Appendix A.

#### REPLACEMENT COST OF INFRASTUCTURE Α.

The replacement cost for all Township assets considered in the 2025 AMP is estimated at \$95.7 million (represented in constant 2024 dollars). The largest share is related to roads and accounts for about \$72.5 million (76%) of the total replacement value. The next highest is bridges at \$15.0 million (16%), followed by buildings at \$4.0 million (4%). Township vehicles total \$1.9 million (2%) of overall assets, while Culverts have a current replacement value of \$1.1 million (1%). The remaining replacement value is made up of machinery and equipment at \$820,000 (less than 1%) and \$477,000 (less than 1%) for land improvements.




Figure 2 - Summary of Assets by Total Replacement Value (\$2024 millions)

Replacement values are used to estimate the cost of replacing an asset when it reaches the end of its engineered design life. For this reason, the replacement values represent an important input into the lifecycle cost analysis. The total replacement cost of assets of \$95.7 million has been determined utilizing different methods that are appropriate for each asset category and dependent on data available at the time of developing this AMP.

Table 2 - Methodology Used for Replacement Values

Asset Category	Methodology	
	Based on benchmark costs per kilometre in similar	
Roads	municipalities for gravel, surface-treated, and paved	
	roads.	
Dili	Based on average replacement cost per square metre	
Bridges	of deck area.	
D. II.I.	Based on replacement values identified in the 2024	
Buildings	Building Condition Assessments.	
Culverts		
Machinery & Equipment	<ul> <li>Adjusted acquisition costs to 2024 dollars based on</li> </ul>	
Land Improvements	average NRBCPI (3% annual)	
Vehicles		

#### REMAINING USEFUL LIFE OF THE INFRASTRUCTURE B.

Figure 3 provides a summary of the assets by replacement value shown by their remaining useful life (years). None of the Township's assets have greater than 50 years of remaining useful life. About \$3.9 million (47%) has between 10 and 49 years of remaining useful life while about \$2.9 million (36%) has 0 to 9 years of remaining useful life.

The remaining \$1.4 million (17%) is considered overdue and past its design life. This is largely related to machinery, equipment, and vehicles, which routinely outlive their expected useful life as a result of the maintenance and renewal activities undertaken by the Township. Although these assets are considered past their design life, they continue to be maintained and are in good working order.




Figure 3 - Summary of Assets by Remaining Useful Life (\$2024) – excluding Roads and Bridges

Note: The summary shows infrastructure totalling about \$8.3 million of the total Township replacement value of \$95.7 million as roads have been excluded from the summary. Roads are excluded as no acquisition date or useful life information is available as the Township maintains the roads based on their condition, rather than age.

#### C. CONDITION OF THE INFRASTRUCTURE

Consistent with the Canadian National Infrastructure Report Card, as well as other major organization and institution reporting formats, a five-point rating scale was used to assign a condition to all assets. This methodology provides a standard and easy to understand way of reporting on the condition of assets. Table 3 summarizes the assumed parameters.

Table 3 - Condition Assessment Parameters

Condition Rating	Definition		
Very Good	Well maintained, good condition, new or recently rehabilitated asset.		
Good	Good condition, few elements exhibit existing deficiencies.		
Fair	Some elements exhibit significant deficiencies. Asset requires attention.		
Poor	• A large portion of the system exhibits significant deficiencies.  Asset mostly below standard and approaching end of service life.		
Very Poor	• Widespread signs of deterioration, some assets may be unusable. Service is affected.		



Assets were categorized in the 5-tier rating system on an asset-by-asset basis. Three approaches have been utilized for the assets considered in this AMP. The approaches for each of these methods is outlined.

#### 1. Assessed Conditions

The Township aims to continually update the asset inventory to reflect changes in conditions or when assets are replaced. The conditions reported reflect the best understanding of the condition of the Township's assets at the end of 2024.

Condition assessments for the culverts are based on the engineered assessments
developed through the Township's OSIM Report (Ontario Structure Inspection Manual).
The OSIM report rates the culverts utilizing a 100-point Bridge Condition Index scale
(BCI). The condition of the culverts has been translated to the 5-point scale based on
the scale in Table 4 below.

Table 4 - Bridges and Culverts Condition Parameters

Condition Rating BCI Range		
Very Good	90 – 100	
Good	70 – 90	
Fair	60 – 70	
Poor	50 - 60	
Very Poor	Less than 50	

 Condition for building structures and components have been determined as part of the 2024 Facility Condition Assessments. The assessment rating was based on a 1-5 Scale that has been translated into the reported conditions using the parameters in Table 5 (below). The Township continues to maintain its buildings to ensure they are available for service. Generally, buildings are long-lived assets and can continue to be used well past their design life with proper ongoing maintenance.

Table 5 - Buildings Condition Parameters

•		
Condition Rating	Condition Rating	
Very Good	4.8 - 5.0	
Good	4.0 - 4.7	
Fair	3.0 - 3.9	
Poor	2.0 - 2.9	
Very Poor	1.0 - 1.9	



Roads – While no PCI information is available for paved or unpaved roads, their condition
has been assigned a condition based on the useful life of each road surface and the age
of the last known works. Staff then assessed these age-based conditions and corrected
the listing where they saw variance.

### 2. Age Based Approach

For asset types where the Township was not able to provide a condition assessment based on existing knowledge or inspection, the condition is estimated based on age and the remaining useful life of the asset. It is the intention that the Township move towards a condition assessment methodology using approach 1 wherever possible. The age-based condition methodology is more appropriate for lower valued assets that have a shorter useful life. Table 6 shows the methodology where the condition is assigned based on the remaining useful life of the assets.

Table 6 - Age Based Condition Parameters

Condition Rating	Percentage of Remaining Useful	
Very Good	80% - 100%	
Good	60% - 80%	
Fair	40% - 60%	
Poor	20% – 40%	
Very Poor	Less than 20%	

### **Summary of the Condition of Assets**

Figure 4 summarizes the condition of Township assets. On average, these are determined to be in Good condition. Overall, about \$76.2 million (79%) of the assets are in Good to Very Good condition while \$6.6 million (7%) of the assets are Fair condition. The remaining \$13.0 million (14%) are in Poor to Very Poor condition.

Figure 4 - Summary of Asset Condition (\$2024 - in millions)




Figure 5 shows the condition of assets delineated by each asset category:

- The Township's largest component in the asset portfolio is roads. Making up 76% of the total replacement value of all assets, they are the main driver of the Township's overall asset condition. About \$61.8 million (85%) of the roads are in Good to Very Good condition as these assets were assessed by staff. The remaining \$10.7 million (15%) of roads were assessed to be in Poor and Very Poor condition.
- The conditions of bridges were assessed through the Township's OSIM Reports. The BCI's placed \$11.7 million (78%) in Good and Very Good condition. An additional \$3.3 million (22%) was placed in Fair condition.
- All Buildings were assigned a condition rating as part of the 2024 Building Condition Assessments, which resulted in buildings being split between Good, Fair, and Poor condition. \$1.7 million (42%) was rated in Good condition, and \$2.3 million (57%) being rated in Fair condition. An additional \$55,000 (1%) was rated in Poor condition.
- The condition of vehicles were evaluated based on the age and useful life of each asset. Approximately \$0.8 million (40%) of the Township's vehicles are in Good or Very Good Condition. An additional \$0.3 million (14%) was rated as Fair condition. The remaining

- \$0.9 million (46%) are either approaching or have overrun their useful lives, placing them in Very Poor condition.
- Culverts were evaluated based on the age and useful life of each asset. The results show most culverts, approximately \$1.0 million (94%) are in Very Poor, Poor, or Fair condition. A smaller share of approximately \$60,000 (6%) are in Good and Very Good condition.
- Machinery and equipment and land improvements were evaluated based on age. It is
  important to note that while many of the assets in these categories are in Poor and Very
  Poor condition, due to the nature of these assets having a shorter useful life, the assets
  that have either overrun or are approaching the end of their useful life may still be fully
  functional and pose little risk of failure.




Figure 5 - Summary of Asset Condition by Asset Category (\$2025 - in millions)

Note: The percentages above the bars represent the shares of replacement value relative to the total replacement value of Township assets at \$95.7 million.

# 3. Level of Service

Levels of service (LOS) describe the outputs or objectives the Township intends to deliver to its residents, which includes measures from a customer, technical and community perspective. LOS provide a description of a particular activity or asset metric where performance may be measured to benchmark the current state and set targets to ensure resident's needs are met.

Levels of service measure how well the Township is meeting business needs, and this information can be utilized as key drivers to inform future investment decisions. Having well-defined service levels will allow the Township to be transparent with its stakeholders to find the appropriate balance between affordability and service expectations.

#### A. THE TOWNSHIP'S LEVEL OF SERVICE GOALS

The LOS Framework helps support and achieve key asset management goals:

- Develop and continuously improve asset management related documentation to provide
  evidence-based level of service linkages between the customer and technical levels with
  integration directly into service-based activities as it relates to both the operational and
  capital expenditures. This objective is achieved through development of the AMP
  financial model, and the Township expects to continue to make improvements to its
  available asset data over the longer-term.
- Develop a clear relationship between the level of service and the costs associated to
  meeting level of service objectives by integrating the AMP LOS framework into the
  budget process. This integration is expected to be achieved over the longer-term
  however, the financing strategy makes recommendations on the financial needs to meet
  the proposed level of service which can be utilized to help inform the budget process.
- Meet the requirements of O. Reg. 588/17 for 2025 to define the proposed level of service, identify costs to meet the proposed level of service and identify any risks of not meeting these targets.

#### B. COMMUNITY LEVELS OF SERVICE (CLOS)

Customer Levels of Service are specific parameters that describe the extent and quality of services that the Township provides to residents from the resident's perspective. CLOS is comprised of qualitative measures such as the description of assets or the related service



provided. CLOS can be evaluated through an understanding of the wants and needs of residents while understanding the assets the Township owns and operates. The CLOS are documented as high-level qualitative statements that capture these characteristics. For the purposes of meeting O. Reg. 588/17 requirements, the Community Levels of Service (outlined in the regulation) are also included under the CLOS.

#### C. TECHNICAL LEVELS OF SERVICE (TLOS)

Technical Levels of Service are specific parameters that measure asset performance. TLOS is comprised of quantitative measures such as asset age/condition or service performance. Part of the TLOS is to consider both the individual asset capability and how the assets are scheduled to be utilized as part of a system of service delivery. These measures are developed through a review of the Township's asset data, engineering reports and in consultation with staff.

The technical levels of service have been defined to meet the following criteria:

- TLOS measures are relevant to the operation of municipal services;
- TLOS are feasible to track and the data to inform the technical measures are readily available or will be tracked for future iterations of the AMP; and
- TLOS are developed recognizing the public as the main driver of service, they are
  designed to track internal asset specific performance, but the resulting quality of service
  will continue to be based on public input.

TLOS measures are crucial for tracking levels of service as they provide quantifiable measures to evaluate the effectiveness and efficiency of service delivery. By systematically monitoring these measures, the Township can assess whether service standards are being met, identify areas for improvement, and allocate resources effectively. An iterative consultation process with staff helped in developing an internal tracking tool to capture the necessary data for calculating the current and proposed levels of service and monitoring the trends moving forward.

### D. OVERVIEW OF THE TOWNSHIP'S LEVEL OF SERVICE

The Township defined its current levels of service in accordance with qualitative and technical metrics that have been established through the regulation and in consultation with staff. In general, the measures were derived from data collected in 2024 and the process



ensured that the current level of service accurately reflected the performance and condition of infrastructure assets given the available data of the day.

#### **Current Level of Service**

For the purposes of this 2025 Asset Management Plan, the Current Level of Service is based on figures provided by staff to year-end 2024. For many asset categories, the levels of service chosen were selected as they show both age and condition indicators for each category, since condition and age of assets was determined to be the main indicator of service level for most Township services. In other instances, metrics have been added to help capture the progress of initiatives already underway by staff and council, such as the additional metrics included under Roads. Furthermore, improvements have been made to streamline the measures to focus in areas that are relevant and useful for service level monitoring and meeting the regulatory reporting requirements.

#### **Proposed Level of Service**

O. Reg 588/17 requires municipalities to define its proposed levels of service by July 1st, 2025. These proposed levels of service (PLOS) are intended to provide the Township with a measurable future target state for the services it provides. The proposed level of service focuses on asset specific measures that capture the performance of infrastructure which forms part of the services provided by the Township. Best efforts have been made to maintain the focus of the proposed level of service to infrastructure assets that support the service rather than the overall services provided by any specific service area. However, it is noted that in general the proposed level of service outlined in this AMP are required to continue to provide the overall level of service objectives of the Township.

For every level of service that the Township measures, a corresponding set of PLOS measures have been developed. Consultation with Township staff was conducted to develop the proposed levels of service based on the needs of the community, existing data and assessing their appropriateness for the Township. Overall, the proposed levels of service outlined in this report have been carefully evaluated based on the following criteria:

- Options & Associated Risk Staff assess various options for the proposed levels of service and analyze the risks associated with each option to the long-term sustainability of the Township. This assessment considers factors such as service quality, operational efficiency, and financial sustainability.
- **Differences from Current Levels of Service** The analysis looks at a comparison of the proposed levels of service with the current levels to identify areas where adjustments or enhancements are necessary. While some proposed levels of service may mirror the



current levels outlined in this AMP, adjustments or enhancements to the current procedures may still be necessary to ensure alignment with longer-term goals.

- Achievability The feasibility of achieving the proposed levels of service considering
  factors such as available resources, technological capabilities, and operational
  constraints have been evaluated. Efforts have been made to ensure that the proposed
  targets are realistic and attainable within the Township's operational capacity.
  Notwithstanding the Township's intended ability to achieve the targets, it is expected
  that the proposed levels of service continue to be reviewed and monitored further
  adjustments may be warranted moving forward.
- Affordability The affordability of the proposed levels of service is conducted in
  conjunction with the budget process, ensuring alignment with the financial resources
  and fiscal capacity available. This process inherently involves approval by Council and
  the organization, with affordability considerations integrated into budgetary decisions.

### Summary of the Level of Service

Table 7 summarizes the customer levels of service while Table 8 shows the technical levels of service. To summarize, the Township aims to generally maintain the current level of service for all the asset categories considered under the AMP. The details in Table 8 show:

- While no PCI information is available for paved or unpaved roads, their condition has been assigned a condition based on the useful life of each road surface and the age of the last known works, combined with staff assessments. Paved and unpaved roads were deemed to be in Good condition overall. Given the "Good" condition of the road network and the Township's funding constraints, the proposed level of service is to maintain the current condition of roads, which is consistent with the Township's existing practices. The cost implications of achieving this target are included in the financing strategy section of this report. The Technical Metric "Road lane-km as a proportion of the total land area in the Municipality" is required by O.Reg 588/17. The proposed level of service is to maintain the current level of service as the Township does not expect to undertake major works that would result in the reclassification of any roads to another category or expansion of the road network.
- Township bridges are on average in Very Good condition (95 BCI), no structures currently having loading or dimensional restrictions. The Township completes all regulated safety inspections, as required. Staff have identified the goal of maintaining these service levels.



- The 2024 Building Condition Assessments place 42% of the replacement value of buildings in Good condition, with almost all remaining buildings being classified as Fair condition. This reflects the reflecting the fact that 16% the Township's buildings have overrun their useful life.
- Culverts are in Poor condition overall, with very few assets being overdue for replacement. This indicates that many assets are approaching the end of their useful lives. The condition of these assets should be closely monitored as many assets may become due for replacement in a short time-period.
- Vehicles are, on average, in Fair condition despite only 2% of assets having overrun their useful lives. Machinery and Equipment is in Very Poor condition overall, with 67% of the asset value being overdue for replacement. Despite the overall age of the assets bringing the reported condition down, they continue to be in useable order and are replaced as needed.

Table 7 - Community Levels of Service

Asset Category	Customer LOS	Community Level of Service		
Roads	Maintain safe and reliable roads and to meet reporting requirements of (O. Reg. 588/17)	Description, which may include maps, of the road network in the Township and its level of connectivity.	The Township maintains 75 km of Unpaved Roads, and nearly 10 km of Surface Treated and Paved Roads. 79 km of the road network are classified as Local roads, while the remaining 6 km are classified as Collector roads.	
		Description or images that illustrate the different levels of road class pavement condition.	A gravel road in Good condition is indicated by a firm, crowned driving surface that drains water away from the roadway.	
			Roads in Poor condition would be indicated by deficiencies that make them more difficult for motorists to navigate. For example, a loose gravel driving surface that contains ruts and potholes. Another indicator is pooling water, washouts, and poor drainage.	
Bridges	Maintain safe and reliable culverts and to meet reporting requirements of (O. Reg. 588/17)	Description of the traffic that is supported by municipal bridges (e.g., heavy transport vehicles, motor vehicles, emergency vehicles, pedestrians, cyclists).	No bridges included in the Township's OSIM Report have load restrictions. The average bridge condition index (BCI) is 95 (out of 100).	
		Description or images of the condition of bridges and how this would affect use of the culverts.	Photos of the Township's bridges can be found in the 2023 Structure Inspection Appraisal Report.	



Asset Category	Customer LOS	Community Level of Service		
Culverts	Maintain reliable system of culverts to keep roads in good condition and ensure that vehicle water-crossings are safe for motorists.	The Township maintains a large network of culverts to keep roads in good condition by draining water away from the driving surface. Being a rural Township, Harley has many roads that require minor water crossings for motorists to safely navigate.		
Buildings	Maintain safe and functional buildings with sufficient capacity for residents and staff.	The Township owns and operates a Community Hall, a Township Garage, a sand shed, a Fire Hall, and a "Snack Shack". The current facilities continue to have sufficient capacity for Township services.		
Vehicles	Maintain safe and functional motor vehicles available to respond to service needs when required.	The Township currently owns and maintains 16 different fleet assets; 12 licensed vehicles and 4 unlicensed (off-road) vehicles. These include fire tankers, pumpers, and rescue trucks. Roads vehicle like pickup trucks, a plow trucks, a loader, a grader, a steamer, and a lawn mower.		
Machinery and Equipment	Maintain safe and functional machinery and equipment available to respond to service needs when required.	The Township maintains and operates many pieces of machinery and equipment that are critical to the operations of their administration, recreation, parks, fire, roads, and environmental services.		



Table 8 - Technical Levels of Service

Asset Category	Technical Level of Service	Source	Current LOS	Proposed LOS
Roads	Number of lane-kilometres of each of arterial roads, collector roads and local roads as a proportion of square kilometres of land area of the Township (O. Reg. 588/17)	Township Staff	Arterial: 0% Collector: 7% Local: 85%	Maintain CLOS
	Paved roads average pavement condition index value (O. Reg. 588/17)	AMP Model and Township Staff	Good	Good
	Unpaved roads average surface condition (O. Reg. 588/17)	AMP Model and Township Staff	Good	Good
	Linear KM of Summer Maintenance done Annually (such as grading, ditching, roadside maintenance)	Township Staff	144 km	144 km
	Linear KM of Winter Maintenance done Annually (such as snowplowing, scarifying, sanding)	Township Staff	144 km	144 km
	Linear KM of Gravel Resurfacing done Annually	Township Staff	13 km	13 km
	Linear KM of Dust Suppressant applied Annually	Township Staff	60 km	60 km
	Linear KM of Roads meeting MMS	Township Staff	100%	100%
Bridges	Percentage of bridges in the Township with loading or dimensional restrictions (O. Reg. 588/17)	OSIM Report	0%	0%
	Bridges average bridge condition index value (O. Reg. 588/17)	OSIM Report	95	95
	Average weighted condition assessment ("Very Poor" to "Very good")	OSIM Report	Very Good	Very Good
	% of assets at or above "Good" or "Very Good" condition	OSIM Report	78%	78%
	% of assets beyond their useful life	OSIM Report	0%	0%



Asset Category	Technical Level of Service	Source	Current LOS	Proposed LOS
	% of bridges receiving regulated inspections	OSIM Report	100%	100%
Culverts	Average weighted condition assessment ("Very Poor" to "Very Good")	AMP Model	Poor	Poor
	% of assets at or above "Good" or "Very Good" condition	AMP Model	6%	6%
	% of assets beyond their useful life	AMP Model	5%	5%
Buildings	Average weighted condition assessment ("Very Poor" to "Very good")	AMP Model	Fair	Fair
	% of assets at or above "Good" or "Very Good" condition	AMP Model	42%	42%
	% of assets beyond their useful life	AMP Model	16%	16%
Vehicles	Average weighted condition assessment ("Very Poor" to "Very Good")	AMP Model	Fair	Fair
	Percentage of assets at or above "Good" or "Very Good" condition	AMP Model	40%	40%
	Percentage of Assets Beyond their Useful Life	AMP Model	2%	2%
Machinery	Average weighted condition assessment ("Very Poor" to "Very Good")	AMP Model	Very Poor	Very Poor
and Equipment	Percentage of assets at or above "Good" or "Very Good" condition	AMP Model	6%	6%
Lquipillelli	Percentage of Assets Beyond their Useful Life	AMP Model	67%	67%
Land	Average weighted condition assessment ("Very Poor" to "Very Good")	AMP Model	Poor	Poor
Improvements	Percentage of assets at or above "Good" or "Very Good" condition	AMP Model	24%	24%
	Percentage of Assets Beyond their Useful Life	AMP Model	29%	29%



# 4. Asset Management Strategy

This section sets out an action plan that will assist the Township in maintaining assets to meet proposed level of service objectives. The asset management strategy includes current practices and potential future practices related to non-infrastructure solutions, maintenance activities, renewal/rehabilitation, disposal, and expansion activities. It outlines the lifecycle costs needed to meet proposed levels of service over the next 10-years for each lifecycle activity and the methodology used to develop the costs. The final component of this section includes a risk analysis, which outlines a summary of assets that can be prioritized for repair/replacement if needed.

#### A. OVERVIEW OF FULL LIFECYCLE COST MODEL

As part of the Asset Management Plan, the Township, along with Hemson, have identified the total full lifecycle costs that corresponds to the requirements of the regulation. This would entail a cost estimation throughout the asset's life including planning, design, construction, acquisition, operation, maintenance, renewal (and disposal).

A "lifecycle management approach" in asset management planning not only includes estimating future lifecycle costs based on a set of lifecycle activities. These lifecycle activities can be segmented into five (5) categories: non-infrastructure solutions, operations/maintenance, renewal/rehabilitation, replacement, and disposal activities. Table 9 provides a description of each lifecycle category. The Township undertakes all the activities described in Table 9, however, the Township's budget generally accounts for these expenditures in different categories.

Table 9 - Overview of the Full Life Cycle Activities

Category	Description
Non- Infrastructure Solutions	Actions or policies that can lower costs or extend asset life (e.g., better integrated infrastructure planning and land use planning, demand management, insurance, process optimization, etc.). Associated to work needed to manage assets but not necessarily direct work on those assets.
Maintenance Activities	Servicing assets on a regular basis to fully realize the original service potential. Maintenance will not extend the life of an asset or add to its value. Not performing regular maintenance may reduce an asset's useful life.



Category	Description
Renewal/ Rehabilitation Activities	Mostly associated to significant repairs designed to extend the useful life of an asset. These types of activities are typically done at key points in the lifecycle of an asset to ensure the asset reaches it designed useful life.
Replacement Activities	Activities that are expected to occur once an asset has reached the end of its useful life and renewal/ rehabilitation is no longer an option.
Disposal Activities	The activities associated with disposing of an asset once it has reached the end of its useful life or is otherwise no longer needed.

As the Township's infrastructure assets are long-lived, the starting point for the lifecycle costs analysis covers a 40-year planning period. However, consistent with O. Reg. 588/17, the planning period focuses on the first 10-years to meet proposed levels of service. In this period, various methodologies have been utilized to determine the long-term lifecycle costs to maintain, repair and replace assets under an "ideal" investment scenario.

This means that all assets are planned for replacement at the end of their useful life. No adjustments were made in consideration for existing municipal asset practices or relationship to the target level of service set. These costs are referred to as the "benchmark" lifecycle costs.

Table 11 outlines the methodologies and costs from 2024-2033 to meet this ideal scenario. Over the planning period, the total costs needed to undertake the lifecycle activities is estimated at \$17.8 million (an average of about \$1.8 million per year).

Of the total lifecycle costs, most costs can be attributed to saving for the renewal, rehabilitation or replacement of infrastructure, making up about 94% of the total lifecycle costs. The average annual need specifically for renewal, rehabilitation or replacement of infrastructure is about \$1.7 million per year (see Table 10). The difference between the total need, and the need specifically for renewal, rehabilitation or replacement is an average of \$117,500 per year, which represents the average annual operating, maintenance, and non-infrastructure solutions costs. The tax supported average annual capital investment requirements to replace the assets are outlined in Table 11 below.



Table 10 – Average Annual Renewal/Rehabilitation/Replacement Need by Asset Category for Tax-Funded Assets

Asset Category *	Benchmark Average Annual Requirement	PLOS Annual Requirement (With Bridge Replacement)	PLOS Annual Requirement (No Bridge Replacement)
Roads	\$926,500	\$463,200	\$463,200
Bridges	\$402,400	\$337,800	\$73,200
Buildings	\$162,400	\$81,200	\$81,200
Vehicles	\$85,300	\$68,300	\$68,300
Machinery & Equip.	\$37,500	\$18,800	\$18,800
Culverts	\$33,900	\$16,900	\$16,900
Land Improvements	\$18,600	\$9,300	\$9,300
Total *	\$1,666,600	\$995,500	\$730,900

<sup>\*</sup> Note: Figures may not sum due to rounding.

To determine the total lifecycle costs to meet proposed levels of service over the 2024-2033 period, consultations with Township staff were undertaken to determine the best approach. Table 11 outlines the lifecycle costs needed to meet the proposed level of service. Over the 2024-2033 period, a total lifecycle need of about \$7.6 million is identified (an average of about \$763,700 per year). The average annual need specifically for renewal, rehabilitation or replacement of infrastructure accounts for 87% of the total need (see Table 10).

Table 11 - Overview of the Full Life Cycle Activities and AMP Approach for Tax Supported Assets

Category		Lifecycle Cost Approach to Meet PLOS	2024-2033 Cumulative Benchmark Lifecycle Costs	2024-2033 Cumulative Lifecycle Costs to Meet PLOS
Non-Infrastructure Solutions	•	Provision of \$7,500 per year to undertake activities to manage assets.	\$75,000	\$75,000
Operations and Maintenance Activities	•	Based on a review of recent budgets by service area. Includes costs that can be reasonably attributed to asset specific maintenance – estimated at \$110,000 per annum (based on 2024 budget).  In most instances, does not include general operating costs associated to staffing, with the exception of staff and contracted services that carry out specific lifecycle activities.	\$1.1 million	\$1.1 million
Replacement Activities	•	Benchmark lifecycle costs were determined using risk-based replacement schedule for the following asset categories: Buildings, Culverts, Vehicles, Machinery and Equipment, and Land Improvements.  Adjustments made to determine the lifecycle needs to meet PLOS are listed below:	\$3.4 million	\$1.9 million
		<ul> <li>For buildings, the strategy of replacement of each building at the end of its useful life has been shifted to a renewal-focused lifecycle management strategy. This has been estimated to double the effective useful life of each building, effectively reducing the annual provision by 50% of the benchmark lifecycle costs.</li> <li>The PLOS need for land improvements, culverts, machinery, and equipment was calculated as 50% of the total benchmark lifecycle costs. The PLOS need for vehicles was calculated as 80% of the total benchmark lifecycle costs.</li> </ul>		



Category	Lifecycle Cost Approach to Meet PLOS	2024-2033 Cumulative Benchmark Lifecycle Costs	2024-2033 Cumulative Lifecycle Costs to Meet PLOS
Renewal Activities (Roads and Bridges)	<ul> <li>Benchmark renewal expenditures for roads and bridges are calculated based on an annual provision for full asset replacement. This has been calculated by dividing the total replacement cost of assets by the average useful life of each asset.</li> <li>The benchmark lifecycle cost for bridges was determined by calculating the ideal annual provision needed to replace each bridge structure at the end of it's useful life. Through discussion with staff, the need for the full recommended OSIM program was identified as a need to achieve the PLOS. The OSIM details total required works over the 10-year period from 2024-2033 to be \$3.4 million. An alternative financing strategy has been developed which does not provision for the replacement, but rather plans for the decommissioning of Peddie Bridge.</li> <li>Through discussions with staff, the need for roads was determined to be significantly less than the provision calculated based on age and useful life of each surface type. Given the extensive amounts of road improvements done through the operating budget, only 50% of the calculated provision has been applied as a need to achieve the PLOS. Based on this, an annual provisional need of \$267,400 has been determined to be the calculated need to achieve PLOS for roads.</li> </ul>	\$13.3 million	\$8.0 million
Disposal Activities	No disposal activities have been explicitly identified, but costs for disposal have been assumed to be included in renewal/rehabilitation/replacement activities	\$ -	\$ -
Cumulative Tot	tal	\$17.8 million	\$11.1 million
Average per Year (Total)		\$1.8 million	\$1.1 million
Average per	Year (for Renewal and Replacement Activities)	\$1.7 million	\$1.0 million

Note: All costs expressed in constant 2024 dollars.



#### B. RISK ANALYSIS

It is important to assess the risk associated with each asset and the likelihood of asset failure. Asset failure can occur as the asset reaches its limits and can affect the level of service. In addition, certain assets have a greater consequence of failure than others. A risk matrix can help prioritize which assets should be repaired/replaced, even those which the Township has already identified to be in Poor or Very Poor condition. The evaluation rating is then linked to the condition assessment parameter discussed in Section 2. The formula to determine asset risk is as follows:

#### (Likelihood of Failure) X (Consequence of Failure) = (Risk Rating)

Each of the components of the Risk Rating methodology is defined as follows:

**Likelihood of Failure:** is directly linked to the condition of an asset. For example, an asset in Very Poor condition would have a high probability of asset failure in the short-term. This type of asset would be assumed to have deteriorated significantly or may be near the end of its useful life. Conversely, it would be considered rare for an asset to fail in the short-term if it is in Good or Very Good condition. Table 12 outlines the definition of likelihood of failure used for the Township's assets.

Table 12 - Probability of Failure

Condition	Probability of Failure	Description
Very Good	1	Rare
Good	2	Unlikely
Fair	3	Possible
Poor	4	Likely
Very Poor	5	Almost Certain

Note: Definitions are based on the MFOA Asset Management Framework.

Consequence of Failure: refers to the impact on the Township if an asset were to fail to provide the desired level of service. The consequence of failure has been determined separately for each asset category, as the impact to the Township differs greatly by asset type. For example, if a fire emergency vehicle was not available for service, the potential impact could be more severe compared to a vehicle used for administrative purposes. For the purposes of this analysis, assets were assigned a consequence of failure based on a review of the assets and the service area they are attributed to. Table 13 below outlines the definition of consequence of failure used for the Township's assets. The consequence of failure, rated on a 1-5 scale, was weighted relative to each category in Table 13 depending on how impactful the consequence may be to the Township.



Table 13 - Consequence of Failure

Consequence of Failure	Description		
1 - Insignificant	No impact to operations.		
2 - Minor	Minor impact to operations, all major operations can continue to function.		
3 - Moderate	Moderate impact to operations, some operations may stop temporarily.		
4 - Major	Major operations seize and some damage control necessary.		
5 - Significant	All operations seize to function and major damage control is necessary.		

**Risk Rating:** categorizes assets based on the level of risk to the Township. The risk rating provides a guide to prioritize assets by determining which assets require attention first and which capital works can be deferred. Higher risk assets should be prioritized for attention in the short term by determining which of the lifecycle actions is required to be performed on the asset. Table 14 below provides a summary of the risk matrix.

Table 14 - Risk Matrix

Evaluation Rating		Consequence of failure					Color Code
Evaluatio	ii Natilig	1	2	3	4	5	Color Code
of	1	1	2	3	4	5	Very Low Risk
	2	2	4	6	8	10	Low Risk
elihood Failure	3	3	6	9	12	15	Moderate Risk
ikelii Fai	4	4	8	12	16	20	High Risk
	5	5	10	15	20	25	Very High Risk

Table 15 presents the findings of the risk analysis and illustrates the Township's asset risk rating. Most of the Township's assets continue to have relatively low risk, an indication of good maintenance practices overall.

The risk of each asset and asset category has been determined with reference to the parameters outlined in Table 14. It is important to note, that the Township will need to continue regular maintenance activities and capital works to ensure that the proposed level of service can be met, or otherwise additional risk can be expected. Please note that roads and bridges have been excluded from the risk analysis in Table 15 as the infrastructure needs and timing of repair and replacement has been informed based on staff expertise for roads, and engineered assessments of Township bridges as outlined in the most recent OSIM Reports.

Table 15 - Summary Risk Assessment

Asset Type	Replacement Cost (\$2024)	Risk (Weighted Average)
Buildings	\$4.00 M	Very Low
Vehicles	\$1.93 M	Low
Culverts	\$1.08 M	Moderate
Machinery and Equipment	\$0.82 M	Low
Land Improvements	\$0.48 M	Very Low
Total	\$8.30 M	Low

Note: Roads and Bridges are excluded from the risk analysis as risk factors and prioritization have been addressed through the Annual Budget Process and OSIM Reports.

Further to Table 15, this 2025 AMP includes an estimate of the timing for replacement of all assets. Using the risk assessment, a schedule for the replacement of assets has been developed on an asset-by-asset basis. Assets with a higher risk rating are prioritized earlier in the schedule to reflect a higher priority, while assets with lower risk ratings are moved further out into the future forecast to reflect a more "smoothed" expenditure outlook. The timing is based on a percentage of the useful life of the asset. Table 16 below provides a summary of the risk thresholds used to calculate timing of replacement needs. Section 5 discusses the results of the lifecycle cost analysis and financing strategy.

Table 16 - Risk Threshold for Asset Life Extension

F	ercentage	Color Code			
100%	80%	60%	40%	20%	Very Low Risk
80%	65%	50%	30%	16%	Low Risk
60%	50%	35%	25%	10%	Moderate Risk
40%	30%	25%	15%	2%	High Risk
20%	16%	10%	2%	0%	Very High Risk

#### C. MANAGING RISK

It is important to recognize the risk associated with the Township's ability to deliver the plan while recognizing that any deviation may affect the overall ability to deliver service. Table 17 below provides a summary of the identified risks, potential impacts and mitigating actions associated with the asset management program. Table 17 is intended to provide the Township with a framework that can be continually updated to track potential asset related risks and document mitigation actions so that they can be implemented into the Township's asset management practices.

Table 17 -Risk Associated to the Plan

	Risk Associated to the Plan						
Identified Risk	Potential Impact	Mitigating Action					
Failed Infrastructure	<ul><li>Delivery of service</li><li>Asset and equipment damage</li></ul>	<ul><li>Repair and rehabilitate as necessary</li><li>Increase investment</li></ul>					
Inadequate Funding	<ul> <li>Delivery of service</li> <li>Increased risk of failure</li> <li>Shorten asset life</li> <li>Defer funding to future generations</li> </ul>	<ul> <li>Reductions of service by reviewing the current level of service</li> <li>Find additional revenue sources</li> </ul>					
Regulatory Requirements	<ul><li>Non-compliance</li><li>Mandatory investments</li><li>Increased costs</li></ul>	<ul><li>Find additional revenue sources</li><li>Lobby actions</li></ul>					
Plan is not followed or not undertaking required lifecycle activities	<ul> <li>Shorten asset life</li> <li>Inefficient investments</li> <li>Prioritization process failure</li> <li>Failure to deliver service</li> </ul>	<ul> <li>Monitor and review levels of service</li> <li>Implement process to implement AMP</li> <li>Investigate alternative lifecycle management options</li> </ul>					

#### D. **FUTURE DEMAND**

This 2025 Plan reflects the assets that the Township currently owns and operates. According to Statistics Canada census, over 5 years (2016-2021) the Township's population has decreased by 27 people from 551 in 2016 to 524 people in 2021, a 4.9% decrease (or about 1.0% per year).

The change that is expected to occur by 2033 includes little to no growth and is therefore expected to have very little impact on future demand and service levels.

#### E. CLIMATE CHANGE INTEGRATION

The management of a municipal assets plays a fundamental role in the delivery of services, which depends on the infrastructure available to deliver the service. Corporate asset management in municipalities largely relates to the management of existing assets to keep them in a state of good repair while planning for future repair and/or replacement of their assets across all service areas. Impacts of climate change are already being experienced around the world, including Canada. It is important for municipalities to begin considering and planning for future climates to ensure the delivery of services, especially as it pertains to the maintenance of key municipal infrastructure. As per *Ontario Regulation 588/17* s3(5), municipalities must include a commitment in their asset management planning to address the vulnerabilities of climate change with respect to operations, levels of service and lifecycle management. There must also be consideration for anticipated costs, mitigation and adaptation approaches and disaster planning to meet all regulatory requirements in Ontario municipal asset management. In response to the regulatory requirements, the Township adopted its first Strategic Asset Management Policy in 2019 and committed to integrating climate change as part of its asset management planning.

Expected climate change impacts include hotter, drier summers, warmer winters with increased precipitation, increased frequency and intensity of storms and increased intensity of extreme winds. These changes in climate will likely lead to increased risks associated with flooding, heatwaves, risk of infrastructure damage, health and safety of residents, the alteration or loss of habitats, etc.

Many of these risks are associated with municipal assets and may impact the levels of service. Climate change mitigation and adaptation planning is an important step for municipalities to take to begin managing risks associated with climate change. Therefore, the Township is taking steps towards the integration of climate change considerations into their asset management planning framework moving forward.

The table below considers municipal owned and operated assets, although, regional critical infrastructure related to roads or public health may also be impacted by the noted hazards. Table 18 provides a risk summary at this time for information purposes to help further propel climate change integration with asset management, although, recognizing the full utilization would still need to be applied and understood at the staff level. In asset management terms, this table shows the big picture effects that climate change hazards may have on the level of service for various service areas. The specific climate change impacts on levels of service could vary considerably and will need to be monitored over a longer time period.



Through further understanding of the anticipated extent of climate change events, climate change adaptation projects at the Township will provide additional parameters as to the likelihood and severity of events. At its most simplistic form, the table below provides a range from a "rare" occurrence to "almost certain." A rare occurrence could be correlated to falling into the tenth percentile of probability, with an almost certain occurrence falling into the ninetieth percentile of probability.

Table 18 - Framework for Climate Change Integration with Risk

I /D: /	1.11 121 1	Co	onsequence
Hazards/Risks	Likelihood	Asset Category	Possible Service Impacts
Freezing Rain / Ice Storm	Rare to almost certain	<ul><li>Roads</li><li>Bridges and Culverts</li><li>Buildings</li></ul>	<ul> <li>Reduced road and culvert conditions, potential for closures</li> <li>Potential impact to access to facilities or closures</li> </ul>
Extreme Temperatures – Cold Wave	Rare to almost certain	<ul> <li>Roads</li> <li>Bridges and Culverts</li> <li>Buildings</li> <li>Land Improvements</li> </ul>	<ul> <li>Closures of outdoor amenities         due to extreme weather         conditions</li> <li>Increased strain on indoor         heating systems leading to         reduced service life and         functionality of components and         systems</li> </ul>
Tornado	Rare to almost certain	All Services	Potential damage to various     municipal assets due to high     winds
Intense Rain	Rare to almost certain	<ul><li>Roads</li><li>Bridges and Culverts</li><li>Buildings</li></ul>	<ul> <li>Flooding of bridges and roadways leading to closures</li> <li>Disruptions to service due to flooding of roads, leading to decreased levels of service</li> <li>Potential impact to access to facilities or closures</li> </ul>

Hazards/Risks	Likelihood	C	onsequence
nazarus/ Risks	Likeimood	Asset Category	Possible Service Impacts
Flood – Urban	Rare to almost certain	<ul> <li>Roads</li> <li>Bridges and Culverts</li> <li>Buildings</li> <li>Land Improvements</li> </ul>	<ul> <li>Flooding of culverts and roadways leading to closures</li> <li>Disruptions to service due to flooding of roads, leading to decreased levels of service</li> <li>Potential impact to access to facilities or closures</li> <li>Flooding of parks leading to closures and reduced levels of service</li> </ul>
Extreme Temperatures – Heat Wave	Rare to almost certain	<ul> <li>Buildings</li> <li>Land Improvements</li> </ul>	<ul> <li>Potential closure/reduce used of outdoor amenities due to high temperatures (reduced levels of service).</li> <li>Lost habitats leading to reduced environmental diversity.</li> <li>Increased strain on indoor cooling systems leading to reduced service life and functionality of components and systems</li> </ul>
Windstorm	Rare to almost certain	<ul><li>Buildings</li><li>Land Improvements</li></ul>	<ul> <li>Closure of outdoor assets due to potential hazards for residents</li> <li>Increased strain on facility assets leading to potential damages and reduced service life and functionality of components and systems</li> </ul>

Source: https://www.assetmanagementbc.ca/wp-content/uploads/Climate-Change-and-Asset-Management.pdf



## 5. FINANCING STRATEGY

The Township has continually undertaken both operating and capital expenditures necessary for to maintain tax funded services, however, the investments made fall short of the required need to meet the proposed levels of services. The Township will need to monitor funding levels over the next few years in relationship to the levels of service. This section of the Plan is intended to help the Township build on the existing asset management practices already in place. The financing strategies presented provide the Township with feasible options to increase capital funding in a sustainable manner to meet proposed levels of service. It is noted that all values are presented in constant 2024 dollars.

### A. ANALYSIS OF AVAILABLE REVENUES

The municipal revenue sources available to address the identified full lifecycle cost requirements outlined in Section 4 are limited. Generally, the type of capital project aligns to its funding source. In this regard, growth-related projects receive most of their funding through development charges in communities that impose DCs; replacement projects are predominantly funded through tax-based contributions for tax supported assets and water and wastewater rates for rate-based services.

When assets require rehabilitation or are due for replacement, the source of funds are essentially limited to reserves or contributions from the operating budget regardless of how the initial first round capital asset was funded. The table below provides a summary of the revenues assumed in this analysis for tax supported assets.



Table 19 - Financing Strategy Key Revenue Assumptions for Tax Supported Assets

Category	Assumptions	10-Year Revenue for Tax-Funded Assets
Operations and Maintenance from Taxation	The Township prioritizes operating costs associated to providing services and it has been assumed that revenue from taxation will fully fund operating needs as they arise.	\$1,099,500
Capital from Taxation/Rates To reserve	This includes all capital contributions from taxation.     Existing 2024 tax supported capital contributions to reserve of about \$17,710 is assumed to be the starting point and base case for increasing annual capital contributions.	\$177,100
Federal and Provincial Grants	<ul> <li>Grant funding for 2024 includes all grants expected to be received during the year, plus any grant reserves that will be drawn upon to fund capital in 2024. This total is estimated at approximately \$364,000 for 2024.</li> <li>The CCBF revenue to 2028 are based on those identified from AMO. The CCBF revenue from 2028-2033 is assumed to remain at 2028 levels (approximately \$35,700).</li> </ul>	\$1,582,400
	OCIF grants \$100,000 per year are assumed in the analysis over the ten-year period.	
Capital from Operating	Specific lines in the Township's 2024 Operating     Budget have been identified as capital spending.     These capital lifecycle activities that are funded through operating are assumed to continue to 2033.	\$2,077,100
Existing Reserves	<ul> <li>Existing asset management related reserves of about \$1.1 million have been accounted for and are applied against the lifecycle cost expenditures over a 10-year period for the purposes of the analysis.</li> <li>The reserves included for in the analysis only captures funds available for capital repair and replacement.</li> </ul>	\$1,108,800
Total		\$6,044,900

#### B. BENCHMARK INFRASTRUCTURE FUNDING GAP

To implement sustainable asset management practices the Township needs to understand the current "benchmark infrastructure funding gap" that would arise should the required full lifecycle costs related to capital be delayed. The funding gap shown in Figure 6 represents the difference between the benchmark lifecycle costs and the funding available for tax supported assets over the 10-year period from 2024 to 2033. The benchmark funding gap represents a measure of the "ideal" spending that would need to be undertaken if all assets were repaired or replaced as outlined in the engineered reports or on their design life schedule as shown in Section 4 versus the case if funding levels were maintained at current levels. Figure 6 indicates that existing funding levels are insufficient to cover projected costs over the ten-year planning period, as a result, a notional gap of \$11.8 million exists over the same period.



Figure 6 – 10-Year Need vs Funding (Benchmark Funding Gap)

If the Township were to implement a funding strategy to eliminate the benchmark funding gap, the Township would be required to increase capital contributions by approximately \$262,100 per year (31.5% of 2024 tax levy) in each of the next 10 years. The increases would be in addition to the funding sources already identified in Table 19.



It is unrealistic to expect the Township to address the total benchmark funding gap in the short-term. Eliminating the gap by 2033 is an aggressive objective for the following reasons:

- The required capital contributions (to eliminate the gap) will necessitate an increase to property taxes beyond a reasonable measure;
- The Township would need to decrease or limit funding of other key services or initiatives in lieu of capital repair and replacement activity;
- Importantly, closing the benchmark funding gap would ultimately result in a service level increase beyond those targeted in this report over the long-term;
- Assets can remain in-use past their engineered design life and can perform to meet the
  Township's level of service under these circumstances. Therefore, in such instances, the
  asset does not necessarily need to be replaced by virtue of exceeding their design life;
  and
- Prudent asset management strategies, which are currently employed by the Township
  can often extend the requirement of major repair or replacement of capital assets and
  may prolong the life of the asset.

Therefore, a long-term lifecycle cost and funding strategy that reflects the proposed level of service shown in Section 4 would need to be developed.

# C. PROPOSED LEVEL OF SERVICE INFRASTRUCTURE FUNDING GAP

This 2025 AMP combines the analysis on proposed levels of service developed in Section 3 with the corresponding lifecycle costs in Section 4 to develop a 10-year adjusted funding gap analysis that considers a more manageable set of costs to meet proposed levels of service (PLOS funding gap). The funding gap shown in Figure 7 represents the difference between the lifecycle costs needed to meet proposed levels of service and the funding available for tax supported assets over the planning period from 2024 to 2033.

The PLOS funding gap represents a measure of the spending that would need to be undertaken to meet proposed levels of service as shown in Section 4 versus the case if funding levels were maintained at current levels. Figure 7 still indicates that existing funding levels are insufficient to cover projected costs over the planning period, as a result, a funding gap of \$5.1 million exists over the same period. Notably, the funding gap under the



proposed level of service target is significantly reduced from the benchmark gap of \$11.8 million over the planning period.




Figure 7 – 10-Year Need vs Funding (Proposed Level of Service Funding Gap)

If the Township were to implement a funding strategy to eliminate the PLOS funding gap over the 2024-2033 planning period, the Township would be required to increase capital contributions by approximately \$113,000 per year (13.6% of 2024 tax levy) in each of the next 10 years, plus inflation. The increases would be in addition to the funding sources already identified in Table 19.

Staff have identified the consideration of a service level impact that would have significant impact to this funding gap calculation: whether or not they intend to replace Peddie Bridge. This carries with it significant impact on the 10-year forecast period since the replacement cost of this bridge is \$3.25 million (\$2024), and the OSIM suggests replacement of the structure in the next 6 to 10 years. If this bridge was to be decommissioned, rather than replaced, it would reduce both the immediate savings for the replacement of the structure, as well as any provision for future works that this bridge would require. As such, we have developed an alternative PLOS Funding Gap that does not provision for the replacement of this asset.

Figure 8 still indicates that existing funding levels are insufficient to cover projected costs over the planning period, as a result, a funding gap of \$2.4 million exists over the same



period. Notably, the funding gap under the alternative proposed level of service target is further reduced from the PLOS gap of \$5.1 million shown in Figure 7.




Figure 8 - 10 Year Need vs Funding (Alternative Proposed Level of Service Funding Gap)

If the Township were to implement a funding strategy to eliminate this revised PLOS funding gap over the 2024-2033 planning period, the Township would be required to increase capital contributions by approximately \$54,200 per year (6.5% of 2024 tax levy) in each of the next 10 years, plus inflation. The increases would be in addition to the funding sources already identified in Table 19.

#### D. THE RELATIONSHIP TO THE PROPOSED LEVEL OF SERVICE

The information illustrated emphasizes the need for the Township to continue the utilization of these funding programs to meet service levels over the long-term. However, as the Township's asset management program further advances, it can be expected that the costs analysis be improved to better reflect asset risks, levels of service and a better understanding of the condition of the infrastructure.

Overall, the infrastructure gap depicted in Figure 7 is required to ensure the Township delivers the proposed levels of service identified in Section 3 of the AMP, which represents



the lifecycle activities outlined in Section 4. Given the adoption of this strategy, which does not align with the funding needed to meet the proposed level of services, other qualitative improvements and other financial solutions need to be explored. Table 20 outlines several approaches to closing the revised funding gap.

Table 20 – Approaches to Closing the Funding Gap

Category	Description
Improved Data Quality	As the Township matures its asset management practices, improving data quality across service areas will help to achieve a proper assessment of the condition of assets. Improved lifecycle cost data will facilitate evidence-based decision making and support in achieving lowest lifecycle costing through prioritization of repair and replacement activities.
Levels of Service	As part of the 2025 AMP, levels of services measures by asset
Measures	category have been established. Tracking LOS measures may
	identify areas where funding needs could be recalibrated based
	on performance.
Assessing Risk	Further detailed risk analysis including defining risk tolerance
Tolerance	level for individual asset classes will help to further refine
	prioritization of the investment needs and levels of service.
	Although not always desirable, it may be possible to accept a
	higher degree of asset risk to help lower ongoing asset costs.
Seek Funding	The Township continues to demonstrate a significant
Support from Upper	commitment to asset management and developing a set of
Levels of	renewal practices to ensure that services are delivered in the
Government	most cost-efficient manner.
	Despite the efforts, upper level of government support is required to supplement the Township's practices to balance affordability. For long-term financial planning and accurately assessing the infrastructure gap, it is equally important that upper-level government funding is stable and predictable.

# 6. Monitoring and Improvement Plan

The major premise of a comprehensive asset management plan is that a Township will seldom have perfect processes and data to manage the asset portfolio. Instead, the underlying culture of continuous improvement and reliability is its key to success. The monitoring and improvement plan forms part of the Township's evolving asset management planning moving forward. It has been developed using an asset management maturity scale to assess areas for improvement.

#### A. ASSET MANAGEMENT MATURITY ASSESSMENT

The purpose of an asset management maturity assessment is to identify a Township's current maturity and to establish a target maturity that can be reasonably achieved in the near future. Using the International Infrastructure Management Manual (IIMM) tool, information on asset maturity was assessed under three categories:

- 1. Understanding and Defining the Requirements
- 2. Development of Asset Management Lifecycle Strategies
- 3. Asset Management Enablers

The three maturity categories are broken down into 16 elements that are assessed in the individual Asset Maturity Radar Graph in Figure 8. The elements in each maturity category are outlined in Table 21.

Table 21 - Asset Management Maturity Assessment Elements

Category	AM Element
	Analysing the Strategic Initiatives (AM Policy and Objectives)
Understanding and	Levels of Service Framework
Defining the	Demand Forecasting and Management
Requirements	Asset Condition and Performance
	The Strategic Asset Management Plan
	Managing Risk and Resilience
Developing Asset	Operational Planning
Management	Capital Works Planning
Lifecycle Strategies	Asset Financial Planning and Management
	AM Plans (for the Asset Portfolio Assets)



Category	AM Element
	AM People and Leaders
	Asset Data and Information
Asset Management	Asset Information Management Systems (AIMS)
Enablers	AM Process Management
	Outsourcing and Procurement
	Continual Improvement

Each element is assessed independently and assigned a score based on criteria outlined in Table 22 which scores each criterion between 0 and 100 for each element. In general, a Township in the "Aware" category recognizes that there are regulatory or service requirements that need to be met to maintain levels of service. However, no formal plans are in place to meet these objectives and asset management planning may be done on an ad hoc basis. A Township in the "Advanced" category has integrated the asset management plan into its budget process and budget planning is well informed by the asset management plan. In general, most municipalities would fall in the "Core" or better category, for this reason the target score would be to achieve an "Intermediate" score over the longer-term.

Table 22 - Maturity Assessment Scoring Scale


Maturity Level	Score
Aware	0-20
Basic	21-40
Core	41-60
Intermediate	61-80
Advanced	81-100

Figure 9 outlines the results of the Asset Maturity Rating. The Current Score accounts for all advancements in individual maturity as part of this 2025 AMP. Overall, the following were achieved:

- Understanding of levels of service focused on the condition of assets which is appropriate for the size and services provided by the Township;
- Enhancement in understanding the Township's asset management practices and general alignment with other key planning documents. A formal Roads Needs Study could be useful in better predicting the lifecycle needs of the Township's road network; and
- General understanding of the Township's assets and the data available through consolidation of various data sources into the AMP financial model.



Figure 9 - Asset Maturity Rating



### B. IMPROVEMENT PLAN

Continuous improvement is a fundamental aspect of municipal asset management. This process involves systematically identifying areas for enhancement, implementing changes, monitoring outcomes, and adjusting strategies based on feedback and new insights. The goal of the municipal asset management planning regulation (O. Reg. 588/17) is to promote municipalities to take incremental steps to maximize benefits, manage risk and provide satisfactory levels of service to the public in a cost-effective manner.


Improvement initiatives have been identified that will enhance the effectiveness of the Township's asset management program. The following table provides recommended improvement initiatives with associated priorities and timelines. While some areas for improvement can be addressed more immediately, others could be undertaken over the long-term.

Table 23 – Improvement Plan Initiatives


Area of Improveme nt	Action	Outcome	Timeline	Priority	Comments		
Levels of Service	Align AMP with budget process	Determine capital contributions	Medium	Medium	Ensuring that the AMP remains up today will help guide tax funded capital contributions needs to meet long-term asset management needs		
Climate Change Integration	Further development of mitigation and adaptation strategies into asset management	Further understanding of climate change risks on Township's delivery of services and support informed prioritization of strategies.	Long	Medium	The Strategic Asset Management Policy requires a commitment to integrate climate change considerations through capital planning.		
Asset Data	Continually update the asset inventory	More informed decision making for capital budget purposes	Medium	Medium	The AMP needs to be updated every 5-years as per regulation after 2025, this is an opportunity to ensure asset data including conditions remains up to date.		
Financing Strategy	Continue to monitor infrastructure gap	Continue to monitor funding needs to meet proposed level of service	Medium	Medium	While infrastructure gap has been monitored as part of this plan, it will need to be updated along with regular reviews of the AMP in the future.		
	Seek funding support from upper levels of government	Continue bridging of funding gap for improved financial sustainability.	Long	High	The Township expects to continue to rely on grant funding for capital projects.		

# APPENDIX A STATE OF LOCAL INFRASTRUCTURE




































# APPENDIX B DETAILED FINANCING STRATEGY TABLES



#### Township of Harley 2024 Asset Management Plan Base Scenario: Close Cumulative Deficit by 2034

			Lifecycle Costs					Forecast of Revenues							
Year	Non- Infrastructure Solutions	Operations and Maintenance		Renewal (Roads and Bridges)	Total Lifecycle Costs	O&M from Taxation	Capital from Taxation (Including Transfers to Reserves)	Yearly Increase	Yearly Increase in Tax Funding (%)	Federal and	Capital from Operating	Existing Reserves	Total Funding	Annual Funding  Gap	Cumulative Infrastructure Deficit
2024	\$ 7,500	\$ 109,950	\$ 337,758	\$ 1,328,878	\$ 1,784,086	\$ 109,950	\$ 17,710			\$ 363,929	\$ 207,706	\$ 1,108,793	\$ 1,808,088	\$ 24,002	\$ 24,002
2025	\$ 7,500	\$ 109,950	\$ 337,758	\$ 1,328,878	\$ 1,784,086	\$ 109,950	\$ 279,843	\$ 262,133	1480%	\$ 134,322	\$ 207,706	\$ -	\$ 731,821	\$ (1,052,265)	\$ (1,028,263)
2026	\$ 7,500	\$ 109,950	\$ 337,758	\$ 1,328,878	\$ 1,784,086	\$ 109,950	\$ 541,975	\$ 262,133	94%	\$ 134,322	\$ 207,706	\$ -	\$ 993,953	\$ (790,132)	\$ (1,818,395)
2027	\$ 7,500	\$ 109,950	\$ 337,758	\$ 1,328,878	\$ 1,784,086	\$ 109,950	\$ 804,108	\$ 262,133	48%	\$ 135,695	\$ 207,706	\$ -	\$ 1,257,459	\$ (526,627)	\$ (2,345,022)
2028	\$ 7,500	\$ 109,950	\$ 337,758	\$ 1,328,878	\$ 1,784,086	\$ 109,950	\$ 1,066,240	\$ 262,133	33%	\$ 135,695	\$ 207,706	\$ -	\$ 1,519,591	\$ (264,494)	\$ (2,609,517)
2029	\$ 7,500	\$ 109,950	\$ 337,758	\$ 1,328,878	\$ 1,784,086	\$ 109,950	\$ 1,328,373	\$ 262,133	25%	\$ 135,695	\$ 207,706	\$ -	\$ 1,781,724	\$ (2,362)	\$ (2,611,879)
2030	\$ 7,500	\$ 109,950	\$ 337,758	\$ 1,328,878	\$ 1,784,086	\$ 109,950	\$ 1,590,506	\$ 262,133	20%	\$ 135,695	\$ 207,706	\$ -	\$ 2,043,857	\$ 259,771	\$ (2,352,108)
2031	\$ 7,500	\$ 109,950	\$ 337,758	\$ 1,328,878	\$ 1,784,086	\$ 109,950	\$ 1,852,638	\$ 262,133	16%	\$ 135,695	\$ 207,706	\$ -	\$ 2,305,989	\$ 521,903	\$ (1,830,205)
2032	\$ 7,500	\$ 109,950	\$ 337,758	\$ 1,328,878	\$ 1,784,086	\$ 109,950	\$ 2,114,771	\$ 262,133	14%	\$ 135,695	\$ 207,706	\$ -	\$ 2,568,122	\$ 784,036	\$ (1,046,169)
2033	\$ 7,500	\$ 109,950	\$ 337,758	\$ 1,328,878	\$ 1,784,086	\$ 109,950	\$ 2,376,903	\$ 262,133	12%	\$ 135,695	\$ 207,706	\$ -	\$ 2,830,254	\$ 1,046,169	\$ (0)
	\$ 75,000	\$ 1,099,500	\$ 3,377,579	\$ 13,288,779	\$ 17,840,858	\$ 1,099,500	\$ 11,973,067			\$ 1,582,438	\$ 2,077,060	\$ 1,108,793	\$ 17,840,858		



#### Township of Harley 2024 Asset Management Plan PLOS Scenario 1: Close Cumulative Deficit by 2034 Replace Peddie Bridge

				Lifecycle Costs					Fo	recast of Revenue	es			Fi	ınding Gap Calculati	on
Year	Non- Infrastructure Solutions	Operations Maintenan		Replacement	Renewal (Roads)	Total Lifecycle Costs	O&M from Taxation	Capital from Taxation (Including Transfers to Reserves)		Yearly Increase in Tax Funding (%)	Federal and	Capital from Operating	Existing Reserves	Total Funding	Annual Funding Gap	Cumulative Infrastructure Deficit
2024	\$ 7,500	\$ 109	950 \$	\$ 194,479	\$ 801,036	\$ 1,112,964	\$ 109,950	\$ 17,710			\$ 363,929	\$ 207,706	\$ 1,108,793	\$ 1,808,088	\$ 695,124	\$ 695,124
2025	\$ 7,500	\$ 109	950 \$	\$ 194,479	\$ 801,036	\$ 1,112,964	\$ 109,950	\$ 130,704	\$ 112,994	638%	\$ 134,322	\$ 207,706	\$ -	\$ 582,683	\$ (530,282)	\$ 164,842
2026	\$ 7,500	\$ 109	950 \$	\$ 194,479	\$ 801,036	\$ 1,112,964	\$ 109,950	\$ 243,699	\$ 112,994	86%	\$ 134,322	\$ 207,706	\$ -	\$ 695,677	\$ (417,287)	\$ (252,445)
2027	\$ 7,500	\$ 109	950 \$	\$ 194,479	\$ 801,036	\$ 1,112,964	\$ 109,950	\$ 356,693	\$ 112,994	46%	\$ 135,695	\$ 207,706	\$ -	\$ 810,044	\$ (302,920)	\$ (555,365)
2028	\$ 7,500	\$ 109	950 \$	\$ 194,479	\$ 801,036	\$ 1,112,964	\$ 109,950	\$ 469,688	\$ 112,994	32%	\$ 135,695	\$ 207,706	\$ -	\$ 923,039	\$ (189,925)	\$ (745,290)
2029	\$ 7,500	\$ 109	950 \$	\$ 194,479	\$ 801,036	\$ 1,112,964	\$ 109,950	\$ 582,682	\$ 112,994	24%	\$ 135,695	\$ 207,706	\$ -	\$ 1,036,033	\$ (76,931)	\$ (822,221)
2030	\$ 7,500	\$ 109	950 \$	\$ 194,479	\$ 801,036	\$ 1,112,964	\$ 109,950	\$ 695,677	\$ 112,994	19%	\$ 135,695	\$ 207,706	\$ -	\$ 1,149,028	\$ 36,064	\$ (786,158)
2031	\$ 7,500	\$ 109	950 \$	\$ 194,479	\$ 801,036	\$ 1,112,964	\$ 109,950	\$ 808,671	\$ 112,994	16%	\$ 135,695	\$ 207,706	\$ -	\$ 1,262,022	\$ 149,058	\$ (637,100)
2032	\$ 7,500	\$ 109	950 \$	\$ 194,479	\$ 801,036	\$ 1,112,964	\$ 109,950	\$ 921,666	\$ 112,994	14%	\$ 135,695	\$ 207,706	\$ -	\$ 1,375,017	\$ 262,053	\$ (375,047)
2033	\$ 7,500	\$ 109	950 \$	\$ 194,479	\$ 801,036	\$ 1,112,964	\$ 109,950	\$ 1,034,660	\$ 112,994	12%	\$ 135,695	\$ 207,706	\$ -	\$ 1,488,011	\$ 375,047	\$ (0)
	\$ 75,000	\$ 1,099,	500 \$	\$ 1,944,785	\$ 8,010,358	\$ 11,129,643	\$ 1,099,500	\$ 5,261,852			\$ 1,582,438	\$ 2,077,060	\$ 1,108,793	\$ 11,129,643		



#### Township of Harley 2024 Asset Management Plan PLOS Scenario 2: Close Cumulative Deficit by 2034 Decommission Peddie Bridge

	Lifecycle Costs							Fo	recast of Revenue	s			Fu	ınding Gap Calculati	on
Year	Non- Infrastructure Solutions	Operations and Maintenance	Replacement	Renewal (Roads)	Total Lifecycle Costs	O&M from Taxation	Capital from Taxation (Including Transfers to Reserves)		Yearly Increase in Tax Funding (%)	Federal and	Capital from Operating	Existing Reserves	Total Funding	Annual Funding Gap	Cumulative Infrastructure Deficit
2024	\$ 7,500	\$ 109,950	\$ 194,479	\$ 536,397	\$ 848,325	\$ 109,950	\$ 17,710			\$ 363,929	\$ 207,706	\$ 1,108,793	\$ 1,808,088	\$ 959,763	\$ 959,763
2025	\$ 7,500	\$ 109,950	\$ 194,479	\$ 536,397	\$ 848,325	\$ 109,950	\$ 71,896	\$ 54,186	306%	\$ 134,322	\$ 207,706	\$ -	\$ 523,874	\$ (324,451)	\$ 635,311
2026	\$ 7,500	\$ 109,950	\$ 194,479	\$ 536,397	\$ 848,325	\$ 109,950	\$ 126,082	\$ 54,186	75%	\$ 134,322	\$ 207,706	\$ -	\$ 578,060	\$ (270,266)	\$ 365,046
2027	\$ 7,500	\$ 109,950	\$ 194,479	\$ 536,397	\$ 848,325	\$ 109,950	\$ 180,267	\$ 54,186	43%	\$ 135,695	\$ 207,706	\$ -	\$ 633,618	\$ (214,707)	\$ 150,339
2028	\$ 7,500	\$ 109,950	\$ 194,479	\$ 536,397	\$ 848,325	\$ 109,950	\$ 234,453	\$ 54,186	30%	\$ 135,695	\$ 207,706	\$ -	\$ 687,804	\$ (160,521)	\$ (10,182)
2029	\$ 7,500	\$ 109,950	\$ 194,479	\$ 536,397	\$ 848,325	\$ 109,950	\$ 288,639	\$ 54,186	23%	\$ 135,695	\$ 207,706	\$ -	\$ 741,990	\$ (106,335)	\$ (116,517)
2030	\$ 7,500	\$ 109,950	\$ 194,479	\$ 536,397	\$ 848,325	\$ 109,950	\$ 342,825	\$ 54,186	19%	\$ 135,695	\$ 207,706	\$ -	\$ 796,176	\$ (52,149)	\$ (168,667)
2031	\$ 7,500	\$ 109,950	\$ 194,479	\$ 536,397	\$ 848,325	\$ 109,950	\$ 397,011	\$ 54,186	16%	\$ 135,695	\$ 207,706	\$ -	\$ 850,362	\$ 2,036	\$ (166,630)
2032	\$ 7,500	\$ 109,950	\$ 194,479	\$ 536,397	\$ 848,325	\$ 109,950	\$ 451,196	\$ 54,186	14%	\$ 135,695	\$ 207,706	\$ -	\$ 904,547	\$ 56,222	\$ (110,408)
2033	\$ 7,500	\$ 109,950	\$ 194,479	\$ 536,397	\$ 848,325	\$ 109,950	\$ 505,382	\$ 54,186	12%	\$ 135,695	\$ 207,706	\$ -	\$ 958,733	\$ 110,408	\$ (0)
	\$ 75,000	\$ 1,099,500	\$ 1,944,785	\$ 5,363,967	\$ 8,483,253	\$ 1,099,500	\$ 2,615,461			\$ 1,582,438	\$ 2,077,060	\$ 1,108,793	\$ 8,483,253		

